## Linear Algebra and Calculus Exercises: Part I

CSCI 567 Machine Learning

Spring 2024

Instructor: Vatsal Sharan

MULTIPLE-CHOICE QUESTIONS: one or more correct choices for each question.

## 1 Linear Algebra

**Q1** Which identities are NOT correct for real-valued matrices A, B, and C? Assume that inverses exist and multiplications are legal.

- (a)  $(AB)^{-1} = B^{-1}A^{-1}$
- (b)  $(I+A)^{-1} = I A$
- (c) tr(AB) = tr(BA) (tr(A) for a square matrix A is the sum of the diagonal entries of A)
- $(\mathbf{d}) \ (AB)^{\top} = A^{\top}B^{\top}$

**Q2** Suppose  $\mathbf{x}_1, \dots, \mathbf{x}_N$  are all *D*-dimensional vectors, and  $X \in \mathbb{R}^{N \times D}$  is a matrix where the *n*-th row is  $\mathbf{x}_n^{\top}$ . Then which of the following identities are correct?

- (a)  $X^{\top}X = \sum_{n=1}^{N} \mathbf{x}_n \mathbf{x}_n^{\top}$
- (b)  $X^{\top}X = \sum_{n=1}^{N} \mathbf{x}_n^{\top} \mathbf{x}_n$
- (c)  $XX^{\top} = \sum_{n=1}^{N} \mathbf{x}_n \mathbf{x}_n^{\top}$
- (d)  $XX^{\top} = \sum_{n=1}^{N} \mathbf{x}_n^{\top} \mathbf{x}_n$

## 2 Calculus

Q1 Suppose  $\mathbf{a} \in \mathbb{R}^{n \times 1}$  is an arbitrary vector. Which one of the following functions is NOT convex:

- (a)  $f(\mathbf{x}) = \sum_{i=1}^{n} |x_i|$
- (b)  $f(\mathbf{x}) = \sum_{i=1}^{n} a_i x_i$
- (c)  $f(\mathbf{x}) = \min_{i \in \{1,\dots,n\}} a_i x_i$
- (d)  $f(\mathbf{x}) = \sum_{i=1}^{n} \exp(x_i)$

**Q2** Which of the following are correct chain rules  $(g, g_1, \ldots, g_d \text{ are functions from } \mathbb{R} \text{ to } \mathbb{R})$ ?

- (a) For a composite function f(g(w)),  $\frac{\partial f}{\partial w} = \frac{\partial f}{\partial g} \frac{\partial g}{\partial w}$ .
- (b) For a composite function f(g(w)),  $\frac{\partial f}{\partial w} = \frac{\partial f}{\partial g} + \frac{\partial g}{\partial w}$ .
- (c) For a composite function  $f(g_1(w), \ldots, g_d(w)), \frac{\partial f}{\partial w} = \left(\frac{\partial f}{\partial g_1} \frac{\partial g_1}{\partial w}, \ldots, \frac{\partial f}{\partial g_d} \frac{\partial g_d}{\partial w}\right).$
- (d) For a composite function  $f(g_1(w), \ldots, g_d(w))$ ,  $\frac{\partial f}{\partial w} = \sum_{i=1}^d \frac{\partial f}{\partial g_i} \frac{\partial g_i}{\partial w}$ .

**Q3** A function  $f: \mathbb{R}^{n \times 1} \to \mathbb{R}$  is defined as  $f(\mathbf{x}) = \mathbf{x}^{\top} \mathbf{A} \mathbf{x} + \mathbf{b}^{\top} \mathbf{x}$  for some  $\mathbf{b} \in \mathbb{R}^{n \times 1}$  and  $\mathbf{A} \in \mathbb{R}^{n \times n}$ . What is the derivative  $\frac{\partial f}{\partial \mathbf{x}}$  (also called the gradient  $\nabla f(\mathbf{x})$ )?

- (a)  $(\mathbf{A} + \mathbf{A}^{\top})\mathbf{x} + \mathbf{b}$
- (b)  $2\mathbf{A}^{\top}\mathbf{x} + \mathbf{b}$
- (c)  $2\mathbf{A}\mathbf{x} + \mathbf{b}$
- (d)  $2\mathbf{A}\mathbf{x} + \mathbf{x}$

**Q4** A function  $f: \mathbb{R}^{n \times 1} \to \mathbb{R}$  is defined as  $f(\mathbf{w}) = \ln(1 + e^{-\mathbf{w}^{\top}\mathbf{x}})$  for some  $\mathbf{x} \in \mathbb{R}^{n \times 1}$ . What is the derivative  $\frac{\partial f}{\partial \mathbf{w}}$ ?

- (a)  $-\frac{\mathbf{w}}{1+e^{\mathbf{w}^{\top}\mathbf{x}}}$
- (b)  $-\frac{\mathbf{x}}{1+e^{\mathbf{w}^{\top}\mathbf{x}}}$
- (c)  $-\frac{\mathbf{w}}{1+e^{-\mathbf{w}^{\top}\mathbf{x}}}$
- (d)  $-\frac{\mathbf{x}}{1+e^{-\mathbf{w}^{\top}\mathbf{x}}}$

**Q5** For a differential function  $f: \mathbb{R}^n \to \mathbb{R}$ , which of the following statements are correct?

- (a) If  $\mathbf{x}^*$  is a minimizer of f, then  $\nabla f(\mathbf{x}^*) = \mathbf{0}$ .
- (b) If  $\mathbf{x}^*$  is a maximizer of f, then  $\nabla f(\mathbf{x}^*) = \mathbf{0}$ .
- (c) If  $\nabla f(\mathbf{x}^*) = \mathbf{0}$ , then  $\mathbf{x}^*$  is a minimizer of f.
- (d) If  $\nabla f(\mathbf{x}^*) = \mathbf{0}$ , then  $\mathbf{x}^*$  is a maximizer of f.